

LABORATORY EQUIPMENT
AND ESSENTIAL ACCESSORIES

PRECISION FOR THE LAB. CARE FOR LIFE.

Equipment for research, testing and laboratory operations.
Supporting the detail in your daily work.

TRIONEX
SCIENTIFIC & LABORATORY EQUIPMENT TRADING LLC

EQUIPPING YOUR LABORATORY

Trionex Scientific & Laboratory Equipment Trading LLC is a Dubai-based supplier of laboratory equipment and essential accessories. We bring together solutions for sample preparation, temperature control, controlled workspaces, storage and measurement, helping laboratories equip each stage of their work.

Our approach starts with how your laboratory operates: the samples you handle, the conditions you need to maintain and the space available. From preparation and processing to controlled storage and measurement, we help you identify equipment and accessories suited to your laboratory requirements.

01

PREPARE AND PROCESS

Equipment for mixing, heating, incubation and sample separation.

02

CONTROL AND PROTECT

Dedicated workspaces and storage for laboratory materials and processes.

03

MEASURE AND MONITOR

Balances, instruments and monitoring tools for day-to-day laboratory work.

CONTENTS

Laboratory equipment and accessories, grouped by function and application.

01	BATH CIRCULATORS	05-06
02	RECIRCULATING CHILLERS	07
03	WATER BATHS	08-09
04	OVENS AND FURNACES	10-11
05	INCUBATORS AND GROWTH CHAMBERS	12
06	INCUBATED SHAKERS	13-14
07	SHAKERS AND ROTATORS	15-19
08	MAGNETIC STIRRERS AND HOTPLATES	20-23
09	OVERHEAD STIRRERS AND HOMOGENIZERS	24-25
10	VORTEX MIXERS	26
11	DRY BATHS AND THERMOMIXERS	27-28
12	ELECTROPHORESIS	29
13	STERILIZATION	30

Disclaimer: The images used in this calatogue are for presentation purposes only. The actual product may look slightly different.

CONTENTS

Laboratory equipment and accessories, grouped by function and application.

14	VACUUM PUMPS AND ASPIRATION	31
15	BIOSAFETY AND CLEAN BENCHES	32-33
16	FUME HOODS AND EXTRACTION	34-37
17	SAFETY STORAGE CABINETS	38-41
18	DESICCATORS AND DRY STORAGE	42-43
19	REFRIGERATORS AND FREEZERS	44-45
20	LABWARE AND STORAGE	46-48
21	ENVIRONMENTAL TEST CHAMBERS	49-52
22	CENTRIFUGES	53
23	LIQUID HANDLING	54-55
24	BALANCES AND MEASUREMENT	56-57
25	MONITORING AND ACCESSORIES	58
26	MORE ACCESSORIES	59-62

Disclaimer: The images used in this calatogue are for presentation purposes only. The actual product may look slightly different.

BATH CIRCULATORS

Circulate temperature-controlled fluids through baths and external laboratory systems.

BATH CIRCULATORS

Maintain controlled fluid temperatures for internal bath work and external circulation. Choose heating-only, refrigerated heating or programmable operation to suit the required temperature profile.



PROGRAMMABLE REFRIGERATED HEATING BATH CIRCULATOR



HEATING BATH CIRCULATOR

MODEL RANGES

- PROGRAMMABLE REFRIGERATED HEATING BATH CIRCULATOR
- REFRIGERATED HEATING BATH CIRCULATOR
- HEATING BATH CIRCULATOR

IMAGE	ACCESSORY / MODEL RANGES	DESCRIPTION
 	**VESSEL RACKS** MODEL RANGES SPRING WIRE RACK TEST TUBE RACK	Support compatible tubes and vessels in the rack arrangement designed for the selected equipment.
	**STAINLESS STEEL COVER**	Fit the protective cover or lid intended for the selected equipment, vessel arrangement and operating conditions.
	**EXTERNAL SENSOR**	Measure temperature at an external point in a compatible temperature-control system.

ACCESSORIES

Circulate temperature-controlled fluids through baths and external laboratory systems.

IMAGE	ACCESSORY / MODEL RANGES	DESCRIPTION
	**SILICONE TUBE**	Route compatible laboratory fluids through silicone tubing in the specified size.
	**TUBING INSULATION**	Insulate compatible circulation tubing using the specified insulating sleeve.
	**TUBE CLAMP**	Secure compatible flexible tubing with the specified clamp.

RECIRCULATING CHILLERS

Provide controlled cooling for instruments, vessels and external processes.

RECIRCULATING CHILLERS

Supply temperature-controlled circulating fluid to laboratory instruments and external processes. The range includes general, compact, low-temperature and precision heating-and-cooling configurations.



GENERAL RECIRCULATING CHILLER



COMPACT RECIRCULATING CHILLER

MODEL RANGES

- GENERAL RECIRCULATING CHILLER
- COMPACT RECIRCULATING CHILLER
- LOW TEMPERATURE RECIRCULATING CHILLER
- PRECISION HEATING AND COOLING CHILLER

IMAGE	ACCESSORY / MODEL RANGES	DESCRIPTION
 	**FLUID FITTINGS AND ADAPTERS** MODEL RANGES CHILLER TUBING FITTING AND ADAPTER BARBED FITTINGS ONE TOUCH ADAPTERS SET FLEXIBLE FITTINGS CHILLER TUBING AND CONNECTION DISTRIBUTING FITTINGS	Connect compatible tubing and equipment using fittings matched to the connection type, material and working conditions.
	**EXTERNAL SENSOR**	Measure temperature at an external point in a compatible temperature-control system.

WATER BATHS

Heat, cool or shake immersed samples under controlled bath conditions.

LABORATORY WATER BATHS

Heat immersed laboratory samples under controlled conditions. Standard, transparent-view, compact, digital and programmable ranges are complemented by magnetic-agitation and shaking configurations for workflows that also require sample movement.



GENERAL HEATING BATH



SHAKING HEATING BATH

MODEL RANGES

- GENERAL HEATING BATH
- VISIBLE HEATING BATH
- DIGITAL WATER BATH
- COMPACT DIGITAL WATER BATH
- PROGRAMMABLE WATER BATH
- HEATING BATH WITH MAGNETIC AGITATION
- SHAKING HEATING BATH



COLD TRAP BATH

Collect moisture and solvent vapours in a cooled trap to support a compatible vacuum system. Select the trap and fluid arrangement for the substances handled.

IMAGE	ACCESSORY / MODEL RANGES	DESCRIPTION
	**UNIVERSAL PLATFORM**	Support compatible vessels and holders using the platform or attachment designed for the selected shaker.

ACCESSORIES

Heat, cool or shake immersed samples under controlled bath conditions.

IMAGE	ACCESSORY / MODEL RANGES	DESCRIPTION
 	**VESSEL RACKS** MODEL RANGES SPRING WIRE RACK TEST TUBE RACK	Support compatible tubes and vessels in the rack arrangement designed for the selected equipment.
	**FLASK CLAMPS AND HOLDERS** MODEL RANGES ERLENMEYER FLASK CLAMP HOLDER FLASK CLAMP	Secure compatible flasks to the selected bath or shaker platform using the matching clamp or holder.
 	**EQUIPMENT COVERS** MODEL RANGES GABLE BATH COVER FLAT BATH COVER BATH RING COVER	Fit the protective cover or lid intended for the selected equipment, vessel arrangement and operating conditions.
	**HALF SHELF ADJUSTER**	Organize samples and vessels on a shelf matched to the compatible chamber or cabinet.
	**GLASS TRAP**	Collect compatible condensate in a glass trap used with the specified bath or vacuum arrangement.
	**VISCOMETER HOLDER**	Hold a compatible viscometer in position during temperature-controlled bath work.

OVENS AND FURNACES

Support drying, thermal testing and high-temperature sample treatment.

CONVECTION OVENS

Dry samples and carry out laboratory thermal testing using natural or forced convection. Standard, advanced and programmable control ranges are complemented by large-capacity and independently controlled multi-chamber configurations.



PROGRAMMABLE FORCED CONVECTION OVEN



ADVANCED NATURAL CONVECTION OVEN

MODEL RANGES

- PROGRAMMABLE FORCED CONVECTION OVEN
- LARGE FORCED CONVECTION OVEN
- ADVANCED FORCED CONVECTION OVEN
- STANDARD FORCED CONVECTION OVEN
- MULTI-CHAMBER FORCED CONVECTION OVEN
- STANDARD NATURAL CONVECTION OVEN
- ADVANCED NATURAL CONVECTION OVEN



VACUUM OVEN

Dry compatible samples under reduced pressure with controlled chamber heating. Match the oven, vacuum source and materials to the drying process.



VACUUM OVEN SYSTEM STATION

Organize a compatible vacuum oven and its supporting pump equipment on a dedicated station for a practical working arrangement.

OVENS AND FURNACES

Support drying, thermal testing and high-temperature sample treatment.



MUFFLE FURNACE

Carry out high-temperature laboratory heat treatment in an insulated furnace chamber. Choose the chamber capacity and operating conditions for the sample and process.

IMAGE	ACCESSORY / MODEL RANGES	DESCRIPTION
	**EQUIPMENT SHELVES AND TRAYS** MODEL RANGES SHELVES FOR FORCED/NATURAL CONVECTION OVEN OVEN AND INCUBATOR SHELF SHELVES FOR FURNACE	Organize compatible loads using shelves or trays matched to the selected chamber, cabinet or storage system.
	**DATA RECORDERS AND INTERFACES** MODEL RANGES THERMAL LINE RECORDER RECORDER AND MOUNTING BRACKET	Record or monitor operating conditions using the recorder or interface specified for compatible equipment.
 	**COMMUNICATION PORTS** MODEL RANGES BMS PORT COMMUNICATION PORT	Connect compatible equipment to the specified monitoring or communications arrangement through the matching interface.

INCUBATORS AND GROWTH CHAMBERS

Maintain controlled environments for culture work and plant growth studies.

LABORATORY INCUBATORS

Maintain controlled incubation conditions for laboratory culture work. Air-jacket, forced-convection and refrigerated ranges provide different temperature-control approaches, with compact, personal and multi-chamber configurations for different workloads.



ADVANCED AIR-JACKET INCUBATOR



LOW TEMPERATURE INCUBATOR

MODEL RANGES

- ADVANCED AIR-JACKET INCUBATOR
- ADVANCED FORCED CONVECTION INCUBATOR
- STANDARD AIR-JACKET INCUBATOR
- STANDARD FORCED CONVECTION INCUBATOR
- MINI INCUBATOR
- MULTI-CHAMBER INCUBATOR
- LOW TEMPERATURE INCUBATOR
- PERSONAL LOW TEMPERATURE INCUBATOR
- MULTI-CHAMBER LOW TEMPERATURE INCUBATOR



PLANT GROWTH CHAMBER

Control temperature and lighting for plant growth studies, with humidity control available on specified configurations. Select the chamber around the study conditions.

IMAGE	ACCESSORY / MODEL RANGES	DESCRIPTION
	**OVEN AND INCUBATOR SHELF**	Organize compatible loads using shelves or trays matched to the selected chamber, cabinet or storage system.

INCUBATED SHAKERS

Combine controlled temperature and shaking for laboratory culture workflows.

INCUBATED SHAKERS

Combine controlled incubation with sample shaking for culture workflows. Benchtop, floor-standing and stackable configurations accommodate different vessel loads and laboratory spaces.




STACKABLE INCUBATED SHAKER



TABLETOP INCUBATED SHAKER


MODEL RANGES

- STACKABLE INCUBATED SHAKER
- TABLETOP INCUBATED SHAKER
- MULTI-STACKABLE INCUBATED SHAKER
- FLOOR INCUBATED SHAKER

IMAGE	ACCESSORY / MODEL RANGES	DESCRIPTION
	**WIRE SHELF**	Organize compatible loads using shelves or trays matched to the selected chamber, cabinet or storage system.
 	**VESSEL PLATFORMS AND ATTACHMENTS** MODEL RANGES DEDICATED PLATFORM UNIVERSAL ATTACHMENT SHAKER PLATFORM ACCESSORY UNIVERSAL PLATFORM SHAKER PLATFORM ATTACHMENT	Support compatible vessels and holders using the platform or attachment designed for the selected shaker.
	**SPRING WIRE RACK**	Support compatible tubes and vessels in the rack arrangement designed for the selected equipment.

ACCESSORIES

Combine controlled temperature and shaking for laboratory culture workflows.

IMAGE	ACCESSORY / MODEL RANGES	DESCRIPTION
	**FLASK CLAMPS AND HOLDERS** MODEL RANGES ERLENMEYER FLASK CLAMP HOLDER FLASK CLAMP	Secure compatible flasks to the selected bath or shaker platform using the matching clamp or holder.
	**SHAKER SURFACE MATS** MODEL RANGES RUBBER MAT ADHESIVE LABORATORY MAT	Support compatible vessels on the selected shaker surface using the specified rubber or adhesive laboratory mat.
	**RETRACTABLE FOOT CASTER**	Position and level a compatible incubated shaker using the specified retractable caster.
	**STACKING KIT**	Join compatible incubated shaker units in the approved stacking arrangement.
 Supplier starter-kit range image	**STARTER KITS** MODEL RANGES STARTER KIT I STARTER KIT II	Equip a compatible incubated shaker with the flask clamps specified for the selected starter-kit configuration. Kit contents vary by configuration.

SHAKERS AND ROTATORS

Mix tubes, plates, flasks and bottles with motion suited to each application.

PLATFORM SHAKERS

Mix laboratory vessels using controlled platform movement. The range includes orbital, linear and dual-action motion, with compact and programmable configurations.



DUAL ACTION SHAKER



PROGRAMMABLE ORBITAL SHAKER

MODEL RANGES

- DUAL ACTION SHAKER
- COMPACT ORBITAL SHAKER
- PROGRAMMABLE ORBITAL SHAKER
- FLAT PLATFORM ORBITAL AND LINEAR SHAKER
- ORBITAL AND LINEAR PLATFORM SHAKER
- COMPACT PLATFORM SHAKER

MICROPLATE SHAKERS

Mix compatible microplates on a controlled orbital platform. Single-, dual- and four-plate configurations accommodate different plate workloads.



MICROPLATE SHAKER



FOUR PLATE MICROPLATE SHAKER

MODEL RANGES

- MICROPLATE SHAKER
- ONE AND TWO PLATE MICROPLATE SHAKER
- FOUR PLATE MICROPLATE SHAKER

SHAKERS AND ROTATORS

Mix tubes, plates, flasks and bottles with motion suited to each application.

ROCKING AND WAVING SHAKERS

Provide gentle rocking or three-dimensional waving movement for laboratory sample mixing. Select the motion and platform arrangement for the vessel and application.



ROCKING AND WAVING SHAKER



ROCKER AND 3D SHAKER

MODEL RANGES

- ROCKING AND WAVING SHAKER
- ROCKER AND 3D SHAKER

ROLLER MIXERS

Mix samples gently by rolling compatible containers. Bottle and tube configurations provide arrangements for different vessel sizes.



BOTTLE ROLLER MIXER



TUBE ROLLER MIXER

MODEL RANGES

- BOTTLE ROLLER MIXER
- TUBE ROLLER MIXER

SHAKERS AND ROTATORS

Mix tubes, plates, flasks and bottles with motion suited to each application.

TUBE ROTATORS

Rotate compatible tubes and vessels for gentle mixing. Adjustable-angle and long-axis configurations support different holder arrangements and sample workloads.



LABORATORY ROTATOR



LONG AXIS
ROTATING MIXER

MODEL RANGES

- LABORATORY ROTATOR
- LONG AXIS ROTATING MIXER
- ADJUSTABLE ANGLE ROTARY MIXER





FUNNEL SHAKER

Mix samples in separating funnels using controlled reciprocal movement. Match the funnel holders and working load to the selected configuration.

IMAGE	ACCESSORY / MODEL RANGES	DESCRIPTION
 	**VESSEL PLATFORMS AND ATTACHMENTS** MODEL RANGES DEDICATED PLATFORM UNIVERSAL ATTACHMENT UNIVERSAL PLATFORM	Support compatible vessels and holders using the platform or attachment designed for the selected shaker.

ACCESSORIES

Mix tubes, plates, flasks and bottles with motion suited to each application.

IMAGE	ACCESSORY / MODEL RANGES	DESCRIPTION
	**VESSEL RACKS** MODEL RANGES CONICAL TUBE RACK SPRING WIRE RACK	Support compatible tubes and vessels in the rack arrangement designed for the selected equipment.
	**PLASTIC FLASK CLAMP**	Secure compatible flasks to the selected bath or shaker platform using the matching clamp or holder.
	**RUBBER MAT**	Support compatible vessels on the selected shaker surface using the specified rubber or adhesive laboratory mat.
	**LONG AXIS ROTATOR MODULE**	Fit the compatible rotating mixer to the required tube size and capacity.

ACCESSORIES

Mix tubes, plates, flasks and bottles with motion suited to each application.

IMAGE	ACCESSORY / MODEL RANGES	DESCRIPTION
	**STAGE RACK**	Support the specified tubes, vessels or samples in a compatible bath or shaker.
	**WEIGHT INCREASER**	Add the specified stabilizing weight to a compatible shaker arrangement.
	**DISK FOR TUBE HOLDER**	Hold compatible tubes in the specified laboratory rotator disc.

MAGNETIC STIRRERS AND HOTPLATES

Control liquid mixing and vessel heating across individual and parallel workflows.

HOTPLATE MAGNETIC STIRRERS

Heat and stir laboratory liquids using a shared heated platform. Choose single- or multi-position layouts, analog or digital controls, round or square plates and compact or glass-panel configurations for the workflow.



DIGITAL HOTPLATE MAGNETIC STIRRER



MULTI-POSITION HEATED MAGNETIC STIRRER

MODEL RANGES

- DIGITAL HOTPLATE MAGNETIC STIRRER
- ANALOG HOTPLATE MAGNETIC STIRRER
- COMPACT SQUARE HOTPLATE STIRRER
- ROUND PLATE HOTPLATE STIRRER
- SQUARE HOTPLATE STIRRER
- GLASS PANEL HOTPLATE STIRRER
- MULTI-POSITION HEATED MAGNETIC STIRRER
- HIGH TEMPERATURE MULTI-POSITION STIRRER
- HEATED MULTIPLE MAGNETIC STIRRER

MAGNETIC STIRRERS

Mix compatible laboratory liquids using magnetic stirring without integrated plate heating. Compact, analog, digital, large-capacity and multi-position configurations support different vessel sizes and parallel sample workloads.



DIGITAL MAGNETIC STIRRER



MULTI-POSITION MAGNETIC STIRRER

MODEL RANGES

- ANALOG MAGNETIC STIRRER
- DIGITAL MAGNETIC STIRRER
- MINI MAGNETIC STIRRER
- LARGE CAPACITY MAGNETIC STIRRER
- 100 L MAGNETIC STIRRER
- GLASS PANEL MAGNETIC STIRRER
- MULTI-POSITION MAGNETIC STIRRER
- MULTIPLE MAGNETIC STIRRER
- FOUR POSITION MAGNETIC STIRRER

MAGNETIC STIRRERS AND HOTPLATES

Control liquid mixing and vessel heating across individual and parallel workflows.



DIGITAL HOTPLATE

Heat compatible laboratory vessels on a digitally controlled plate. Choose the plate size and working temperature for the procedure.



MAGNETIC STIRRING HEATING BATH

Heat and stir samples in a contained water or suitable heat-transfer fluid bath. Match the bath medium and vessel to the required working temperature.




HEATING MANTLE

Heat round-bottom flasks using a mantle that fits the vessel. Capacity options accommodate different laboratory batch sizes.

ACCESSORIES

Control liquid mixing and vessel heating across individual and parallel workflows.

IMAGE	ACCESSORY / MODEL RANGES	DESCRIPTION
	**PLATE COVER**	Fit the protective cover or lid intended for the selected equipment, vessel arrangement and operating conditions.
	**TEMPERATURE BLOCKS AND MODULES** MODEL RANGES FLASK AND VIAL HEATING BLOCKS HOTPLATE STIRRER HEATING BLOCK	Hold compatible tubes, cuvettes or plates in a block or module matched to the heating or mixing system.
	HOTPLATE AND STIRRER ACCESSORY	Configure compatible laboratory equipment with the specified hotplate and stirrer accessory.
	**UTILITY CLAMP**	Hold compatible laboratory components on the specified support stand.
	**CLAMP HOLDER**	Attach a compatible laboratory clamp to the specified support rod or stand.

ACCESSORIES

Control liquid mixing and vessel heating across individual and parallel workflows.

IMAGE	ACCESSORY / MODEL RANGES	DESCRIPTION
	**SILICONE PAD**	Provide the specified silicone support pad for a compatible laboratory heating surface.
	**MAGNETIC STIRRING BAR**	Mix compatible liquids using a magnetic stirrer and a bar suited to the vessel.
	**MAGNETIC BAR RETRIEVER**	Recover a magnetic stirring bar from a compatible laboratory vessel.

OVERHEAD STIRRERS AND HOMOGENIZERS

Use shaft-driven mixing and dispersion for a variety of laboratory liquids.

OVERHEAD STIRRERS

Mix laboratory liquids using a motor-driven shaft and compatible impeller. Compact, brushless, digital and touchscreen configurations support different mixing duties and control preferences.



TOUCHSCREEN OVERHEAD STIRRER



BRUSHLESS OVERHEAD STIRRER

MODEL RANGES

- TOUCHSCREEN OVERHEAD STIRRER
- EASY CONTROL OVERHEAD STIRRER
- DIGITAL OVERHEAD STIRRER
- BRUSHLESS OVERHEAD STIRRER
- DIGITAL SHAFT OVERHEAD STIRRER
- COMPACT OVERHEAD STIRRER

HOMOGENIZERS

Disperse laboratory samples using compatible rotor-stator working heads. Handheld, stand-mounted and digital configurations provide options for different sample volumes and working arrangements.



HANDHELD HOMOGENIZER



DIGITAL HOMOGENIZER

MODEL RANGES

- HANDHELD HOMOGENIZER
- LABORATORY HOMOGENIZER
- DIGITAL HOMOGENIZER

ACCESSORIES

Use shaft-driven mixing and dispersion for a variety of laboratory liquids.

IMAGE	ACCESSORY / MODEL RANGES	DESCRIPTION
	**STIRRER STANDS AND SUPPORTS** MODEL RANGES STAND SUPPORT STIRRER STAND	Support compatible stirring equipment and accessories using the specified stand and mounting arrangement.
	**MECHANICAL SEAL**	Seal the stirrer shaft connection for compatible vessel configurations.
	**EXTERNAL STIRRER CONTROLLER**	Set and monitor a compatible stirrer from an external control unit.
	**STIRRER IMPELLER AND SHAFT**	Mix liquids with the specified shaft and impeller fitted to a compatible overhead stirrer.
	**UTILITY CLAMP**	Hold compatible laboratory components on the specified support stand.

VORTEX MIXERS

Mix individual tubes or multiple samples using compact vortex systems.

VORTEX AND VIAL MIXERS

Mix tubes and vials using compact mixing heads or compatible holder platforms. The range includes mini, low-profile, multifunction, vial and multi-tube configurations.



VORTEX MIXER



MULTI-TUBE VORTEX MIXER

MODEL RANGES

- VORTEX MIXER
- LOW PROFILE VORTEX SHAKER
- MINI VORTEX MIXER
- MULTIFUNCTION VORTEX MIXER
- VIAL MIXER
- MULTI-TUBE VORTEX MIXER

IMAGE	ACCESSORY / MODEL RANGES	DESCRIPTION
	**VORTEX MIXER HOLDERS AND MODULES** MODEL RANGES VORTEX MIXER MODULE VIAL MIXER MODULE MULTI-TUBE VORTEX MODULE	Adapt the compatible mixer to the required tubes, vials or plates using the specified holder or module.

DRY BATHS AND THERMOMIXERS

Control tube temperatures with dry blocks, with shaking on specified systems.

DRY BATHS AND TEMPERATURE BLOCKS

Control tube and sample temperatures in a solid-block system. Choose heating or combined heating-and-cooling operation, with compact and two-module configurations available.



HEATING AND COOLING BLOCK



TWO MODULE DRY BATH

MODEL RANGES

- HEATING BLOCK
- HEATING AND COOLING BLOCK
- MINI DRY BATH
- DRY BATH
- TWO MODULE DRY BATH

HEATING SHAKERS AND THERMOMIXERS

Combine tube temperature control with shaking for laboratory sample preparation. Select the compatible block, tube arrangement and operating conditions for the workflow.



HEATING SHAKER



DRY BATH SHAKING INCUBATOR

MODEL RANGES

- HEATING SHAKER
- DRY BATH SHAKING INCUBATOR

DRY BATHS AND THERMOMIXERS

Control tube temperatures with dry blocks, with shaking on specified systems.



PRP GEL MAKER

Run controlled tube-heating cycles for the specified preparation workflow. Use the tube arrangement and operating procedure intended for the selected equipment.

IMAGE	ACCESSORY / MODEL RANGES	DESCRIPTION
 	**TEMPERATURE BLOCKS AND MODULES** MODEL RANGES MINI DRY BATH MODULE DRY BATH MODULE SHAKING INCUBATOR MODULE AND LID TUBE HEATING BLOCK HEATING SHAKER BLOCK	Hold compatible tubes, cuvettes or plates in a block or module matched to the heating or mixing system.

ELECTROPHORESIS

Equip horizontal and vertical gel workflows with compatible power and accessories.

GEL ELECTROPHORESIS SYSTEMS

Separate laboratory samples in a gel-based system. Horizontal and vertical configurations support different gel formats, with blotting arrangements available on the specified system.



HORIZONTAL ELECTROPHORESIS SYSTEM



VERTICAL ELECTROPHORESIS SYSTEM

MODEL RANGES

- HORIZONTAL ELECTROPHORESIS SYSTEM
- VERTICAL ELECTROPHORESIS SYSTEM

ELECTROPHORESIS POWER SUPPLY



Supply regulated electrical power to compatible electrophoresis systems. Match the power supply and operating settings to the gel system and procedure.

IMAGE	ACCESSORY / MODEL RANGES	DESCRIPTION
	**ELECTROPHORESIS ACCESSORY**	Configure compatible laboratory equipment with the specified electrophoresis accessory.

STERILIZATION

Equip laboratory sterilization workflows with compatible steam and infrared systems.



VERTICAL AUTOCLAVE

Process compatible laboratory loads using controlled steam sterilization. Select the chamber and cycle requirements for the materials being processed.

INFRARED STERILIZERS

Heat compatible inoculating tools in an enclosed infrared heating zone. Standard and digital configurations provide different operating interfaces.



INFRARED STERILIZER



DIGITAL INFRARED STERILIZER

MODEL RANGES

- INFRARED STERILIZER
- DIGITAL INFRARED STERILIZER

IMAGE	ACCESSORY / MODEL RANGES	DESCRIPTION
	**AUTOCLAVE ACCESSORY**	Configure compatible laboratory equipment with the specified autoclave accessory.

VACUUM PUMPS AND ASPIRATION

Provide laboratory vacuum and controlled collection of compatible liquids.

LABORATORY VACUUM PUMPS

Generate vacuum for compatible laboratory equipment and processes. Water-jet, rotary-vane and oil-free configurations provide options for different flow, vacuum and chemical-compatibility requirements.



ROTARY VANE VACUUM PUMP



OIL-FREE DIAPHRAGM VACUUM PUMP

MODEL RANGES

- ELECTRICAL ASPIRATOR
- ROTARY VANE VACUUM PUMP
- OIL-FREE DIAPHRAGM VACUUM PUMP
- COMPACT OIL-FREE VACUUM PUMP
- MINI VACUUM PUMP



LIQUID VACUUM ASPIRATION SYSTEM

Collect compatible laboratory liquids through a vacuum-driven aspiration system. Match the collection vessel, accessories and liquid compatibility to the procedure.

BIOSAFETY AND CLEAN BENCHES

Create dedicated work areas for the protection needs of the laboratory procedure.



CLASS II A2 BIOSAFETY CABINET

Provide a filtered-air work area for appropriate biological laboratory procedures. Select and operate the cabinet according to the required containment and installation conditions.

CLEAN BENCHES

Provide filtered laminar airflow for clean handling of work materials. Basic and advanced configurations offer different operating interfaces; select the arrangement for the application.



BASIC CLEAN BENCH



ADVANCED CLEAN BENCH

MODEL RANGES

- BASIC CLEAN BENCH
- ADVANCED CLEAN BENCH



PCR WORKSTATION

Organize clean preparation work for PCR workflows in a dedicated workstation. Match the work area and accessories to the preparation procedure.


BIOSAFETY AND CLEAN BENCHES

Create dedicated work areas for the protection needs of the laboratory procedure.



UV STERILIZATION CABINET

Expose compatible items to ultraviolet light within an enclosed cabinet. Use the specified arrangement and procedure for the items being treated.

IMAGE	ACCESSORY / MODEL RANGES	DESCRIPTION
	**FILTERS** MODEL RANGES ULPA FILTER SET HEPA FILTER PRE-FILTER	Fit replacement filter media to compatible cabinets or extraction equipment. Select the filter type for the substances and procedure involved.
	**CLEAN BENCH AND BIOSAFETY CABINET ACCESSORY**	Configure compatible laboratory equipment with the specified clean bench and biosafety cabinet accessory.
	**DIFFERENTIAL PRESSURE GAUGE**	Monitor the pressure difference across a compatible cabinet or filter system.

FUME HOODS AND EXTRACTION

Position extraction and containment around compatible laboratory emission sources.

LABORATORY FUME HOODS

Contain compatible laboratory fumes at the work area. Ductless filtered, transparent observation and compact extracted configurations serve different procedures and installation needs.



DUCTLESS FUME HOOD



MOLDED OBSERVATION FUME HOOD

MODEL RANGES

- DUCTLESS FUME HOOD
- MOLDED OBSERVATION FUME HOOD
- SMALL FUME HOOD

MOBILE FUME EXTRACTORS

Position extraction close to a compatible emission source. Local-exhaust and air-purifying configurations provide different routes for removing or filtering fumes and particles.



MOBILE LOCAL EXHAUST FUME EXTRACTOR



MOBILE AIR PURIFYING FUME EXTRACTOR

MODEL RANGES

- MOBILE LOCAL EXHAUST FUME EXTRACTOR
- MOBILE AIR PURIFYING FUME EXTRACTOR

FUME HOODS AND EXTRACTION

Position extraction and containment around compatible laboratory emission sources.

EXTRACTION ARM HOOD



Example extraction-arm installations

Position an adjustable extraction arm above a local emission source. Select the hood and mounting arrangement to suit the working area.

IMAGE	ACCESSORY / MODEL RANGES	DESCRIPTION
 	**FILTERS** MODEL RANGES COMPLEX CARBON FILTER ACID FILTER FORMALDEHYDE FILTER AMMONIA AND AMINE FILTER HEPA FILTER PRE-FILTER	Fit replacement filter media to compatible cabinets or extraction equipment. Select the filter type for the substances and procedure involved.
 Gas-detection tube range	**GAS-DETECTION TUBES** MODEL RANGES BENZENE GAS-DETECTION TUBE TOLUENE GAS-DETECTION TUBE ACETIC ACID GAS-DETECTION TUBE CHLOROFORM GAS-DETECTION TUBE FORMALDEHYDE GAS-DETECTION TUBE AMMONIA GAS-DETECTION TUBE	Use the specified substance-specific detection tube with a compatible sampling pump and the intended measurement procedure.

ACCESSORIES

Position extraction and containment around compatible laboratory emission sources.

IMAGE	ACCESSORY / MODEL RANGES	DESCRIPTION
	**EXTRACTION MOUNTING HARDWARE** MODEL RANGES BRACKETS FOR EXTRACTION ARM HOOD EXTRACTION ARM TABLE BRACKET TABLE BRACKET SET CEILING BRACKET BRACKET AND COLUMN CEILING COLUMN WALL BRACKET	Mount compatible extraction components using the bracket, column or fixing arrangement intended for the installation.
 Extraction-arm range shown	**EXTRACTION ARMS** MODEL RANGES CEILING EXTRACTION ARM EXTRACTION ARM EXTRACTION ARM ASSEMBLY	Position local extraction using a compatible arm and assembly matched to the selected hood and mounting arrangement.
	**EXTRACTION HOOD ACCESSORY**	Capture emissions at the designated extraction point using a compatible hood arrangement.
	**GAS SAMPLING DETECTOR**	Draw a measured air sample through a compatible gas-detection tube.
	**FUME EXTRACTION MODULE**	Provide the specified extraction unit for a compatible laboratory cabinet or extraction system.

ACCESSORIES

Position extraction and containment around compatible laboratory emission sources.

IMAGE	ACCESSORY / MODEL RANGES	DESCRIPTION
Supplier installation detail	**PLINTH FOR FUME EXTRACTION MODULE**	Provide the specified extraction unit for a compatible laboratory cabinet or extraction system.
 Example extraction-arm installations	**EXTRACTION ARM HOOD**	Position compatible local extraction near the working area using the specified arm and mounting arrangement.
	**DOME EXTRACTION HOOD**	Capture emissions at the designated extraction point using a compatible hood arrangement.
 Magnetic hood assembly shown	**MAGNETIC HOOD CONNECTOR**	Join compatible hood and extraction-arm components using the specified connector.

SAFETY STORAGE CABINETS

Organize compatible reagents, cylinders and liquid waste in dedicated storage systems.

FIRE SAFETY STORAGE CABINETS

Provide dedicated storage for compatible flammable laboratory materials. Type 30 and Type 90 configurations offer different fire-resistance categories; select the cabinet for the storage requirements.



TYPE 90 FIRE SAFETY STORAGE CABINET



TYPE 30 FIRE SAFETY STORAGE CABINET

MODEL RANGES

- TYPE 90 FIRE SAFETY STORAGE CABINET
- TYPE 30 FIRE SAFETY STORAGE CABINET

ACID AND CORROSIVE STORAGE CABINETS

Store compatible corrosive reagents in dedicated compartments. Compact and full-size configurations support different storage quantities and available spaces.



SMALL ACID AND CORROSIVE CABINET



ACID AND CORROSIVE CABINET

MODEL RANGES

- SMALL ACID AND CORROSIVE CABINET
- ACID AND CORROSIVE CABINET

SAFETY STORAGE CABINETS

Organize compatible reagents, cylinders and liquid waste in dedicated storage systems.



FILTERING STORAGE CABINET

Store compatible laboratory reagents in a cabinet with an integrated filter-based ventilation system. Select the filter configuration for the stored substances.



GAS CYLINDER CABINET

Secure laboratory gas cylinders within a dedicated cabinet. Match the cabinet and utility connections to the cylinders and installation.



MULTIPURPOSE CABINET

Organize laboratory supplies and materials behind glazed cabinet doors for convenient visual checking and access.


SAFETY STORAGE CABINETS

Organize compatible reagents, cylinders and liquid waste in dedicated storage systems.



SAFETY WASTE DISPOSAL SYSTEM

Collect compatible liquid waste in dedicated containers with safety-funnel options. Select the container and fittings for the waste stream.

IMAGE	ACCESSORY / MODEL RANGES	DESCRIPTION
	**FILTERS** MODEL RANGES AMMONIA AND AMINE FILTER HEPA FILTER	Fit replacement filter media to compatible cabinets or extraction equipment. Select the filter type for the substances and procedure involved.
	**EQUIPMENT SHELVES AND TRAYS** MODEL RANGES STORAGE CABINET SHELF AND TRAY EPOXY-COATED CABINET SHELF STAINLESS STEEL CABINET SHELF SMALL CORROSIVE CABINET SHELF TRAY STORAGE CABINET TRAY	Organize compatible loads using shelves or trays matched to the selected chamber, cabinet or storage system.
 Supplier installation detail	**PLINTH**	Support a compatible cabinet or extraction module on the specified base.

ACCESSORIES

Organize compatible reagents, cylinders and liquid waste in dedicated storage systems.

IMAGE	ACCESSORY / MODEL RANGES	DESCRIPTION
	**STORAGE CABINET FILTER AND FITTING**	Fit the specified replacement filter to a compatible cabinet or extraction system. Select filter media for the substances and procedure involved.
 Drawer shown installed	**DRAWER SET**	Organize compatible stored materials in the specified cabinet or refrigerator drawer.
	**PARTITION**	Separate compatible stored materials using the specified cabinet partition.
	**EXTRACTION MODULE**	Provide the specified extraction unit for a compatible laboratory cabinet or extraction system.

DESICCATORS AND DRY STORAGE

Protect moisture-sensitive materials with controlled dry storage and desiccation.

VACUUM DESICCATORS

Provide reduced-pressure dry storage for compatible samples and materials. Cylindrical, cubic and round enclosures accommodate different load arrangements.



CYLINDRICAL VACUUM DESICCATOR



CUBIC VACUUM DESICCATOR

MODEL RANGES

- CYLINDRICAL VACUUM DESICCATOR
- CUBIC VACUUM DESICCATOR
- ROUND VACUUM DESICCATOR



DRY CABINET

Maintain a controlled low-humidity environment for moisture-sensitive laboratory materials. Choose the storage capacity and internal arrangement for the load.



LABORATORY DESICCATOR

Protect moisture-sensitive samples in a clear or UV-protective enclosure. Match the shelves and desiccant arrangement to the stored materials.

ACCESSORIES

Protect moisture-sensitive materials with controlled dry storage and desiccation.

IMAGE	ACCESSORY / MODEL RANGES	DESCRIPTION
	**EQUIPMENT SHELVES AND TRAYS** MODEL RANGES DRY CABINET SHELF PERFORATED DESICCATOR SHELF	Organize compatible loads using shelves or trays matched to the selected chamber, cabinet or storage system.
	**DESICCATOR ACCESSORY**	Configure compatible laboratory equipment with the specified desiccator accessory.
	**DESICCANT**	Control moisture inside a compatible desiccator or storage enclosure.
	**VACUUM GAUGE**	Read the vacuum level in a compatible desiccation system.
	**DESICCATOR CLOSURE**	Secure the door or lid of a compatible desiccator using the specified closure.

REFRIGERATORS AND FREEZERS

Maintain controlled refrigerated and frozen storage for laboratory materials.

LABORATORY REFRIGERATORS

Store temperature-sensitive laboratory or pharmaceutical materials under controlled refrigerated conditions. Select the application, storage capacity and internal arrangement for the workload.



LABORATORY REFRIGERATOR



PHARMACEUTICAL REFRIGERATOR


MODEL RANGES

- LABORATORY REFRIGERATOR
- PHARMACEUTICAL REFRIGERATOR



LABORATORY FREEZER

Provide controlled frozen storage for compatible laboratory materials. Match the operating temperature and storage arrangement to the contents.

IMAGE	ACCESSORY / MODEL RANGES	DESCRIPTION
  Drawer shelf shown installed	**REFRIGERATOR SHELF AND DRAWER**	Organize compatible loads using shelves or trays matched to the selected chamber, cabinet or storage system.

ACCESSORIES

Maintain controlled refrigerated and frozen storage for laboratory materials.

IMAGE	ACCESSORY / MODEL RANGES	DESCRIPTION
	**DATA RECORDERS AND INTERFACES** MODEL RANGES RECORDER LC DATAKEEPER BASIC INTERFACE LC DATAKEEPER PRO INTERFACE	Record or monitor operating conditions using the recorder or interface specified for compatible equipment.

LABWARE AND STORAGE

Handle, organize and store everyday laboratory liquids, vessels and samples.

LABORATORY BEAKERS

Handle, measure and pour laboratory liquids using the specified beaker material and shape. The range includes disposable, Griffin and handled designs in polypropylene or polymethylpentene.



PMP GRIFFIN BEAKER



PP GRIFFIN BEAKER

MODEL RANGES

- DISPOSABLE BEAKER
- PMP GRIFFIN BEAKER
- PP GRIFFIN BEAKER
- PMP HANDLE BEAKER
- PP HANDLE BEAKER

WASH BOTTLE



Dispense compatible wash liquids through a narrow dispensing tube. Choose the bottle configuration for the liquid and application.

CARBOY



Store and dispense compatible laboratory liquids from round or rectangular containers with the specified outlet arrangement.

LABWARE AND STORAGE

Handle, organize and store everyday laboratory liquids, vessels and samples.

TUBE AND SAMPLE RACKS

Organize compatible sample and centrifuge tubes during preparation and storage. Select the rack material, tube size and holder arrangement for the workflow.



CENTRIFUGE TUBE RACK



MICRO TUBE RACK

MODEL RANGES

- CENTRIFUGE TUBE RACK
- SAMPLE RACK
- CONICAL TUBE RACK
- MICRO TUBE RACK



CRYO BOX

Organize compatible sample tubes in covered boxes for cold storage. Match the tube size and box arrangement to the storage system.




ON-ICE RACK

Support compatible sample vessels in an ice bath during temperature-sensitive preparation. Select the rack arrangement for the vessel size.


LABWARE AND STORAGE

Handle, organize and store everyday laboratory liquids, vessels and samples.




FLASK SUPPORT

Support round flasks during storage and handling using a support that matches the vessel size.



FILTER ADAPTER

Seal the connection between a compatible filtering funnel and filtering flask using silicone adapters matched to the connection.



TUBING CONNECTOR

Join compatible laboratory tubing using polypropylene connectors in the required connection shape and size.

ENVIRONMENTAL TEST CHAMBERS

Simulate controlled thermal and humidity conditions for material and product testing.

TEMPERATURE AND HUMIDITY CHAMBERS

Run environmental tests under controlled temperature and humidity. Benchtop, low-temperature, ultra-low-temperature, dual-chamber and walk-in configurations accommodate different test conditions and loads.



TABLETOP TEMPERATURE AND HUMIDITY CHAMBER



WALK-IN TEMPERATURE AND HUMIDITY CHAMBER

MODEL RANGES

- TABLETOP TEMPERATURE AND HUMIDITY CHAMBER
- LOW TEMPERATURE AND HUMIDITY CHAMBER
- ULTRA LOW TEMPERATURE AND HUMIDITY CHAMBER
- GENERAL TEMPERATURE AND HUMIDITY CHAMBER
- DUAL TEMPERATURE AND HUMIDITY CHAMBER
- BASIC TEMPERATURE AND HUMIDITY CHAMBER
- WALK-IN TEMPERATURE AND HUMIDITY CHAMBER

HEATING AND COOLING TEST CHAMBERS

Perform controlled thermal testing across the selected operating range. Choose compact, ultra-low-temperature, horizontal-airflow, vertical-airflow or general cabinet configurations for the specimen and test.



ULTRA LOW TEMPERATURE HEATING AND COOLING CHAMBER



TABLETOP HEATING AND COOLING CHAMBER

MODEL RANGES

- ULTRA LOW TEMPERATURE HEATING AND COOLING CHAMBER
- TABLETOP HEATING AND COOLING CHAMBER
- HORIZONTAL LOW TEMPERATURE HEATING AND COOLING CHAMBER
- VERTICAL LOW TEMPERATURE HEATING AND COOLING CHAMBER
- AMBIENT RANGE HEATING AND COOLING CHAMBER
- LOW TEMPERATURE HEATING AND COOLING CHAMBER
- GENERAL HEATING AND COOLING CHAMBER

ENVIRONMENTAL TEST CHAMBERS

Simulate controlled thermal and humidity conditions for material and product testing.



PHARMACEUTICAL STABILITY TEST CHAMBER

Support stability studies with controlled temperature and humidity, with light-testing options on specified configurations. Match the chamber to the study conditions.



CUSTOM ENVIRONMENTAL TEST CHAMBER

Configure an environmental chamber around the specimen dimensions, installation needs and operating conditions of the application.



INDUSTRIAL HEATING CHAMBER

Carry out controlled heat treatment and drying in an industrial heating chamber. Match the chamber and operating conditions to the process and load.

ACCESSORIES

Simulate controlled thermal and humidity conditions for material and product testing.

IMAGE	ACCESSORY / MODEL RANGES	DESCRIPTION
 	**EQUIPMENT SHELVES AND TRAYS** MODEL RANGES WIRE SHELF PERFORATED SHELF	Organize compatible loads using shelves or trays matched to the selected chamber, cabinet or storage system.
	**ENVIRONMENTAL CHAMBER ACCESSORY**	Configure compatible laboratory equipment with the specified environmental chamber accessory.
	**WARNING SIGNAL LAMP**	Display operating or alarm status on a compatible chamber configuration.
	**GAS PURGE SYSTEM**	Introduce a compatible purge gas through the chamber connection specified for the system.

ACCESSORIES

Simulate controlled thermal and humidity conditions for material and product testing.

IMAGE	ACCESSORY / MODEL RANGES	DESCRIPTION
	**HOUR METER**	Track operating hours on a compatible environmental test chamber.
 Viewing-window detail	**VIEWING WINDOW**	View specimens through the specified observation window in a compatible chamber.
	**CABLE PORT**	Pass compatible cables or probes through the specified chamber access port.

CENTRIFUGES

Separate tube and microplate samples with compact centrifugal systems.

LABORATORY TUBE CENTRIFUGES

Separate compatible tube-based samples using the required rotor, speed and capacity. Mini, digital-mini, high-speed and low-speed ranges provide different arrangements for microtubes, PCR strips and larger laboratory tubes.



MINI CENTRIFUGE



HIGH SPEED MICROCENTRIFUGE

MODEL RANGES

- MINI CENTRIFUGE
- DIGITAL MINI CENTRIFUGE
- HIGH SPEED MICROCENTRIFUGE
- ENCLOSED ROTOR HIGH SPEED CENTRIFUGE
- LOW SPEED CENTRIFUGE
- COMPACT LOW SPEED CENTRIFUGE



PROGRAMMED CGF CENTRIFUGE

Run the built-in centrifugal programs intended for the compatible sample workflow. Use the rotor, tubes and procedure specified for the system.



MICROPLATE CENTRIFUGE

Centrifuge compatible PCR microplates using controlled speed and timing. Match the plate and loading arrangement to the rotor.

LIQUID HANDLING

Measure, transfer and dispense laboratory liquids with appropriate volume control.

MICROPIPETTES

Measure and transfer laboratory liquid volumes using adjustable manual micropipettes. Choose single-channel, multichannel or fully autoclavable configurations for the workflow.



MULTICHANNEL MICROPIPETTE



AUTOCLAVABLE MICROPIPETTE

MODEL RANGES

- MULTICHANNEL MICROPIPETTE
- SINGLE-CHANNEL ADJUSTABLE MICROPIPETTE
- AUTOCLAVABLE MICROPIPETTE



ELECTRONIC PIPETTE CONTROLLER

Aspirate and dispense through compatible glass or plastic serological pipettes using an electronic controller.

LIQUID HANDLING

Measure, transfer and dispense laboratory liquids with appropriate volume control.



BOTTLE TOP DISPENSER

Dispense repeat liquid volumes directly from a compatible reagent bottle. Match the dispensing arrangement and wetted materials to the reagent.



PIPETTE STAND

Store compatible pipettes upright in a linear or rotating stand to keep the working area organized.

BALANCES AND MEASUREMENT

Measure sample mass, moisture and selected water-quality parameters.

LABORATORY BALANCES

Weigh laboratory materials using the required capacity and readability. Electronic, precision, analytical and dual-range analytical configurations support different weighing duties.



ELECTRONIC BALANCE



ANALYTICAL BALANCE

MODEL RANGES

- ELECTRONIC BALANCE
- ANALYTICAL BALANCE
- DUAL RANGE ANALYTICAL BALANCE
- PRECISION BALANCE

MOISTURE ANALYZER



Determine sample moisture using controlled heating and mass measurement. Select the sample arrangement and procedure for the material being tested.

BALANCES AND MEASUREMENT

Measure sample mass, moisture and selected water-quality parameters.

WATER QUALITY METERS



PH DO AND CONDUCTIVITY METER



MULTI-PARAMETER WATER QUALITY ANALYZER

Measure laboratory water-quality parameters using compatible probes and meters. Dedicated and multi-parameter configurations support different measurement requirements.

MODEL RANGES

- PH DO AND CONDUCTIVITY METER
- MULTI-PARAMETER WATER QUALITY ANALYZER

MONITORING AND ACCESSORIES

Connect compatible equipment to monitoring and laboratory data-recording tools.



LC GREENBOX

Connect compatible laboratory equipment for wireless status monitoring and data access through the specified interface.

LABORATORY DATA RECORDING

Monitor and record operating data from compatible laboratory equipment. Basic and Pro interface ranges support different data-management requirements.



LC DATAKEEPER BASIC

MODEL RANGES

- LC DATAKEEPER BASIC
- LC DATAKEEPER PRO

MORE ACCESSORIES

Accessories for compatible laboratory systems, organised by equipment type.

ACCESSORY / MODEL RANGES	DESCRIPTION	COMPATIBLE WITH
TEMPERATURE CONTROL		
STAINLESS STEEL BASKET	Hold samples or vessels in a stainless steel basket sized for the equipment chamber.	Water baths or sterilizers; equipment fit to be confirmed.
GASKETS AND SEALS MODEL RANGES • SILICONE GASKET • VITON GASKET	Replace the vacuum-oven door seal with the specified silicone or Viton gasket.	Vacuum ovens; door dimensions and gasket material must match.
WATER TRAY	Hold water inside the chamber of a compatible incubator using the designated tray.	Selected incubators; tray size must match the chamber.
MIXING AND SAMPLE PREPARATION		
MICROPLATE SHAKER TUBE MODULE	Adapt the specified shaker for tubes of different sizes and capacities.	Compatible microplate shaker; tube-module fit to be confirmed.
SHAKER ACCESSORY	Configure a shaker with the accessory required for the selected vessel arrangement.	Shakers; accessory type and equipment fit to be confirmed.

Compatibility depends on the equipment configuration, dimensions and connections. Entries marked "to be confirmed" require a fit check.

MORE ACCESSORIES

Accessories for compatible laboratory systems, organised by equipment type.

ACCESSORY / MODEL RANGES	DESCRIPTION	COMPATIBLE WITH
MIXING AND SAMPLE PREPARATION		
POWER ADAPTER AND CLAMP ROD	Provide the specified power and mounting components for the selected stirring setup.	Magnetic stirrers and hotplates; electrical and mounting fit to be confirmed.
CHUCK COVER	Fit a protective cover around the compatible overhead-stirrer chuck.	Overhead stirrers; chuck dimensions and shaft clearance must match.
VACUUM SYSTEMS		
OIL MIST TRAP	Collect oil mist from the exhaust of a compatible oil-sealed rotary vane vacuum pump.	Selected rotary vane vacuum pumps; exhaust connection must match.
BIOSAFETY AND CLEAN BENCHES		
CANOPY	Connect a compatible cabinet to its designated canopy extraction arrangement.	Class II A2 biosafety cabinets; canopy dimensions must match.
UV LAMP	Replace the cabinet UV lamp with the specified lamp size and electrical rating.	Selected biosafety cabinets and clean benches; lamp specification must match.

Compatibility depends on the equipment configuration, dimensions and connections. Entries marked "to be confirmed" require a fit check.

MORE ACCESSORIES

Accessories for compatible laboratory systems, organised by equipment type.

ACCESSORY / MODEL RANGES	DESCRIPTION	COMPATIBLE WITH
BIOSAFETY AND CLEAN BENCHES		
LED LAMP	Restore work-area illumination with the specified replacement LED lamp.	Class II A2 biosafety cabinets; lamp dimensions and rating must match.
IV BAR	Support suspended items on the designated internal cabinet bar.	Class II A2 biosafety cabinets; bar length must match the cabinet.
SERVICE COCK VALVE	Provide the specified service connection within the cabinet work area.	Class II A2 biosafety cabinets; service and connection type must match.
UTILITY CLAMP	Secure the specified component to its compatible mounting point.	Cabinet or support setup; mounting fit to be confirmed.
TABLET INTERFACE FOR WIRELESS MONITORING	View cabinet data using a tablet configured for the specified wireless monitoring interface.	Class II A2 biosafety cabinets with the designated wireless interface.
GAS COCK	Provide the designated gas service connection for a compatible clean bench.	Selected clean benches; gas service and connection type must match.

Compatibility depends on the equipment configuration, dimensions and connections. Entries marked "to be confirmed" require a fit check.

MORE ACCESSORIES

Accessories for compatible laboratory systems, organised by equipment type.

ACCESSORY / MODEL RANGES	DESCRIPTION	COMPATIBLE WITH
FUME HOODS AND EXTRACTION		
WORK SURFACES MODEL RANGES • STAINLESS STEEL WORK SURFACE - GRADE 304 • STAINLESS STEEL WORK SURFACE - GRADE 316 • WORK SURFACE (PHENOLIC LAMINATE) • WORK SURFACE (POLYPROPYLENE) • WORK SURFACE (BAKELITE) • WORK SURFACE (PVC)	Choose a work surface suited to the chemicals handled and the required hood configuration.	Selected ductless fume hoods; surface dimensions and material must match.
SAFETY STORAGE		
CONTAINER	Hold compatible materials in the container specified for the storage setup.	Storage systems; container type and equipment fit to be confirmed.
EARTH BONDING PLUG	Provide the specified earthing connection for a compatible storage-cabinet installation.	Selected storage cabinets; earthing arrangement must be confirmed.
GAS CYLINDER CABINET ACCESSORY	Configure a cylinder-storage installation with the designated cabinet accessory.	Gas cylinder cabinets; accessory type and fit to be confirmed.
ENVIRONMENTAL TESTING		
FAN SPEED ADJUSTER	Adjust chamber circulation fan speed on equipment configured for this option.	Selected environmental test chambers; control option must be supported.

Compatibility depends on the equipment configuration, dimensions and connections. Entries marked "to be confirmed" require a fit check.

YOUR LABORATORY REQUIREMENTS

The right equipment starts with the application. Share the required capacities, working conditions and installation needs for your laboratory.

MAIN POINT OF CONTACT

RALPH STA. MARIA

Managing Director

+971 50 978 3972

rstamaria@trionexuae.com

OFFICE ADDRESS

Office 47, Unispark Business Center, Manazel Building, Garhoud, Dubai, United Arab Emirates

GENERAL ENQUIRIES

+971 50 978 3951

info@trionexuae.com

www.trionexuae.com

TRIONEX

SCIENTIFIC & LABORATORY EQUIPMENT TRADING LLC

PRECISION FOR THE LAB. CARE FOR LIFE.

Laboratory equipment and essential accessories for the lab that works.

OFFICE ADDRESS AND CONTACT DETAILS

Office 47, Unispark Business Center,
Manazel Building, Garhoud
Dubai, United Arab Emirates

+971 50 978 3951

info@trionexuae.com

www.trionexuae.com